

六角穴付ボルト

●=即日出荷 ▼=一両日出荷

呼び径	M1.4	M1.6	M2				M2.3	M2.5				M2.6				M3									
	SUS製	SUS製	鋼製				SUS製	鋼製				鋼製				鋼製				SUS製					
材質・表面処理等	SUS	SUS	生	クロメート	ニッケル	黒色亜鉛	SUS	SUS	生	クロメート	ニッケル	黒色亜鉛	SUS	生	クロメート	ニッケル	黒色亜鉛	SUS	三価ホワイ	ユニクロ	クロメート	ニッケル	黒色亜鉛	SUS	SUS
長さ	304	304	地	クロ	ケル	鉛	304	304	地	クロ	ケル	鉛	304	地	クロ	ケル	鉛	304	地	クロ	ケル	鉛	304	316L	
3	▼	▼		●	●	▼	●			▼	▼	▼	●		▼	▼	▼	●						●	
4	▼	▼	●	●	●	▼	●	▼	●	●	●	▼	●	●	●	▼	▼	●	●	●	●	▼	●	●	●
5	▼	▼	●	●	●	▼	●	▼	●	●	●	▼	●	●	●	▼	▼	●	●	●	●	▼	●	●	●
6	▼	▼	●	●	●	▼	●	▼	●	●	●	▼	●	●	●	▼	▼	●	●	●	●	▼	●	●	●
8	▼	▼	●	●	●	▼	●	▼	●	●	●	▼	●	●	●	▼	▼	●	●	●	●	▼	●	●	●
10	▼	▼	●	●	●	▼	●	▼	●	●	●	▼	●	●	●	▼	▼	●	●	●	●	▼	●	●	●
12		▼	●	●	●	▼	●	▼	●	●	●	▼	●	●	●	▼	▼	●	●	●	●	▼	●	●	●
14			▼	▼		▼	●		▼	▼	▼	▼	●		▼	▼	▼	●	●	●	●	▼	●	●	●
15		▼	▼	●	▼	▼	●	▼	▼	▼	▼	▼	●	▼	▼	▼	▼	●	●	●	●	▼	●	●	●
16			▼	▼		▼	●		▼	▼	▼	▼	●		▼	▼	▼	●	●	●	●	▼	●	●	●
18			▼	▼		▼	●		▼	▼	▼	▼	●		▼	▼	▼	●	●	●	●	▼	●	●	●
20			●	▼	▼	▼	●	▼	▼	▼	▼	▼	●	▼	▼	▼	▼	●	●	●	●	▼	●	●	●
22							▼	▼					▼					▼	●	●	●	▼	●	●	●
25							▼	▼					▼					▼	●	●	●	▼	●	●	●
28																			▼	●	●	▼	●	●	▼
30							▼	▼					▼					▼	●	●	●	▼	●	●	●
35							▼						▼					▼	●	●	●	▼	●	●	●
40							▼						▼					▼	●	●	●	▼	●	●	●
45																			●	●	●	▼	●	●	●
50																		●	●	●	▼	●	●	●	●
55																				●	●	▼	●	●	●
60																				●	●	▼	●	●	●
65																				▼	▼	▼	●	●	●
70																				▼	▼	▼	●	●	●
75																				▼	▼	▼	●	●	●
80																								●	●
85																								●	●
90																								●	●
95																								●	●
100																								●	●

SUS製の商品はSUS304相当品となっております。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
ご気軽にご利用下さい。

<http://www.ikekin.co.jp/contents/inquiry/index.html>

電話でのお問い合わせ

土日祝日を除く月～金曜日
9:00～17:00

 0120-119-810

六角穴付ボルト

●=即日出荷 ▼=-両日出荷

呼び径	M4						M5						M6											
	鋼製					SUS製	鋼製					SUS製	鋼製					SUS製						
	生 地	三 価 ホ ワ イ ト	ユ ニ ク ロ	ク ロ メ ー ト	ニ ツ ケ ル	黒 色 垂 鉛	S U S 3 0 4	S U S 3 1 6 L	生 地	三 価 ホ ワ イ ト	ユ ニ ク ロ	ク ロ メ ー ト	ニ ツ ケ ル	黒 色 垂 鉛	S U S 3 0 4	S U S 3 1 6 L	生 地	三 価 ホ ワ イ ト	ユ ニ ク ロ	ク ロ メ ー ト	ニ ツ ケ ル	黒 色 垂 鉛	S U S 3 0 4	S U S 3 1 6 L
4			▼		▼	●																		
5	●		●	●	▼	●		●				▼	▼	●	●									
6	●	●	●	●	▼	●	●	●		●	●	▼	▼	●	●	●							●	
8	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
10	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
12	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
14	●	●	●	●	▼	●		●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
15	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
16	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
18	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
20	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
22	●		●	●	▼	●		●		●	●	▼	▼	●		●		●	●	▼	▼	●		
25	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
28						●								▼		●		●	▼	▼	▼	▼	●	
30		●	●	●	▼	●		●	●	●	●	▼	▼	●	●	●	●	●	●	▼	▼	●	●	●
32	●							●								●								
35	●	●	●	●	▼	●		●	●	●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
40	●	●	●	●	▼	●		●	●	●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
45	●	●	●	●	▼	●		●	●	●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
50	●	●	●	●	▼	●		●	●	●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
55	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
60	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
65	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
70	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
75	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
80	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
85			▼	▼	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
90			▼	▼	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
95			▼	▼	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
100			▼	▼	▼	●		●		●	●	▼	▼	●		●	●	●	●	▼	▼	●	●	●
105														▼		●						▼	●	
110						●		●		▼	▼			●		●		▼	▼	▼	▼	●		
115						▼		●						▼		●						▼		
120						●		●		▼	▼			●		●		●		▼	▼	●		
125								●						▼		●						▼		
130						●		●		▼	▼			●		●		▼	▼	▼	▼	●		
135																●								
140						●		●		▼	▼			●		●		▼	▼	▼	▼	●		
150						●		●		▼	▼			●		●		▼	▼	▼	▼	●		
155														▼										
160								●						▼		●							▼	
170								●						▼		●							▼	
180								●						▼		●							▼	
190								●						▼		●							▼	
200								●						▼		●							▼	
210								●								●								
220								●								●								
230								●								●								
240								●								●								
250								●								●								

SUS製の商品はSUS304相当品となっております。

お問い合わせフォーマット

<http://www.ikekin.co.jp/contents/inquiry/index.html>

電話でのお問い合わせ

☎0120-119-810

六角穴付ボルト

●=即日出荷 ▼=-両日出荷

呼び径	M8						M10						M12						M14										
	鋼製					ステンレス製		鋼製					ステンレス製		鋼製					ステンレス製									
	生 地	三 価 ホ ワ イ ト	ユ ニ ク ロ	ク ロ メ ー ト	ニ ツ ケ ル	黒 色 垂 鉛	S U S 3 0 4	S U S 3 1 6 L	生 地	三 価 ホ ワ イ ト	ユ ニ ク ロ	ク ロ メ ー ト	ニ ツ ケ ル	黒 色 垂 鉛	S U S 3 0 4	S U S 3 1 6 L	生 地	三 価 ホ ワ イ ト	ユ ニ ク ロ	ク ロ メ ー ト	ニ ツ ケ ル	黒 色 垂 鉛	S U S 3 0 4	S U S 3 1 6 L	生 地	ユ ニ ク ロ	ク ロ メ ー ト	S U S 3 0 4	
8	●						●																						
10	●		●	●	▼	●	●	●				▼	▼	●															
12	●	●	●	●	▼	●	●	●		▼			▼	●										●					
14	●		●	●	▼	●	●	●					▼	●									●						
15	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●							●						
16	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●								●						
18	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●		●							●						
20	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	●	●	●	●	●	●	●			●
22	●		●	●	▼	●		●		●	●	▼	▼	●		●							●						●
25	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
28	●				▼	▼		●						▼		●													
30	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
32	●		▼					●								●													
35	●	●	●	●	▼	●	●	●	●	●	●	▼	▼	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
40	●	●	●	●	▼	●		●	●	●	●	▼	▼	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
45	●	●	●	●	▼	●		●	●	●	●	▼	▼	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
50	●	●	●	●	▼	●		●	●	●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
55	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
60	●	●	●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
65	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
70	●	●	●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
75	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
80	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
85	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
90	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
95	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
100	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●
105	●				▼	▼		●				▼	▼	▼		●							▼						▼
110	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	▼
115	●				▼	▼		●				▼	▼	▼		●							▼						▼
120	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	▼
125	●				▼	▼		●				▼	▼	▼		●							▼						▼
130	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	▼
135	●							●								●							●						▼
140	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	▼
145	●							●								●							●						▼
150	●		●	●	▼	●		●		●	●	▼	▼	●		●	●	●	●	●	●	●	●	●	●	●	●	●	▼
155								●								●							●						▼
160	●					▼		●				▼	▼	▼		●							▼		●			▼	▼
165								●				▼	▼	▼		●							▼						▼
170	●					▼		●				▼	▼	▼		●							▼		●			▼	▼
175								●								●							▼						▼
180	●					▼		●				▼	▼	▼		●							▼		●			▼	▼
185								●								●							▼						▼
190	●					▼		●				▼	▼	▼		●							▼		●			▼	▼
195						▼		●								●							▼						▼
200	●					▼		●				▼	▼	▼		●							▼		●			▼	▼
210	●					▼		●				▼	▼	▼		●							▼						▼
220	●					▼		●				▼	▼	▼		●							▼						▼
230	●					▼		●				▼	▼	▼		●							▼						▼
240	●							●								●							▼						▼
250	●					▼		●				▼	▼	▼		●							▼					▼	▼
260								●								●							▼						▼
300								●								●							▼						▼

SUS製の商品はSUS304相当品となっております。

六角穴付ボルト

●=即日出荷 ▼=一両日出荷

呼び径	M16				M18		M20			M22		M24		M27		M30		M33		M36		M39	M42	M48	
材質・表面処理等	鋼製				SUS製	鋼製	SUS製	鋼製			SUS製	鋼製	鋼製	鋼製											
	生	三価ホワイト	ユニクロ	クロメート	SUS304	生	SUS304	生	ユニクロ	クロメート	SUS304	生	生	生											
長さ	地				地	地	地				地	地	地	地	地	地	地	地	地	地	地	地	地		
20	●		●	●	●																				
25	●		●	●	●					▼															
30	●	●	●	●	●	●	▼	●		●		▼		▼											
35	●	●	●	●	●	●	▼	●		●		▼		▼											
40	●	●	●	●	●	●	▼	●	●	●	▼	●	▼												
45	●	●	●	●	●	●	▼	●	●	●	▼	●	▼												
50	●	●	●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	▼	▼								
55	●	●	●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	▼	▼								
60	●	●	●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	▼	●	▼	▼		●				
65	●	●	●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼		●					
70	●	●	●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼			
75	●		●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼			
80	●		●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●		
85	●		●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●		
90	●		●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●		
95	●		●	●	●	●		●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●		
100	●		●	●	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
105	●			▼	●	●		●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
110	●		●	▼	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
115	●			▼	●	●		●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
120	●		●	▼	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
125	●			▼	●	●		●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
130	●		●	▼	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
135	●			▼	●	●		●	●	●		●													
140	●		●	▼	●	●	▼	●	●	●	▼	●	▼	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
145	●					●				●		●													
150	●		●	▼	●	●	▼	●		▼	●	▼	●	▼	▼	●	▼	▼	▼	●	▼	▼	●	●	
155	●					●																			
160	●			▼		▼	●			▼	●	▼	●	▼	▼	●	▼	▼		●	▼	▼	●	●	
165	●					●																			
170	●			▼		▼	●			▼	●	▼	●	▼	▼	●	▼	▼		●	▼	▼	●	●	
175	●					●																			
180	●			▼		▼	●			▼	●	▼	●	▼	▼	●	▼	▼		●	▼	▼	●	●	
185	●					●																			
190	●			▼		●				▼	●	▼	●	▼	▼	●	▼	▼		●	▼	▼	●	●	
195	●					●																			
200	●			▼		▼	●			▼	●	▼	●	▼	▼	●	▼	▼		●	▼	▼	●	●	
210	●			▼		●					●		●	▼	▼	●	▼	▼		●		▼	●	●	
220	●			▼		●					●		●	▼	▼	●	▼	▼		●		▼	●	●	
230	●			▼		●				▼	●		●	▼	▼	●	▼	▼		●		▼	●	●	
240	●			▼		●				▼	●		●	▼	▼	●	▼	▼		●		▼	●	●	
250	●			▼		●				▼	●	▼	●	▼	▼	▼	●	▼	▼		●	▼	▼	●	●
260	●			▼		●					●		●	▼	▼	●	▼	▼		●		▼	●	●	
270											●		●		▼	●		▼		●		▼	●	●	
280											●		●	▼	▼	●		▼		●		▼	●	●	
290											●		●		▼	●		▼		●		▼	●	●	
300				▼						▼	●	▼	●	▼	▼	▼	●	▼	▼		●	▼	▼	●	●

SUS製の商品はSUS304相当品となっております。

お問い合わせフォーマット 電話でのお問い合わせ
<http://www.ikekin.co.jp/contents/inquiry/index.html>  0120-119-810

六角穴付ボルト 細目

●=即日出荷 ▼=一両日出荷

呼び径	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
ピッチ	0.75	1.00	1.25	1.25	1.50	1.50	1.50	1.50
材質・ 表面 処理等	S U S 製	S U S 製	鋼 製	S U S 製	鋼 製	S U S 製	S U S 製	S U S 製
	S U S 3 0 4	S U S 3 0 4	生 地	S U S 3 0 4	生 地	S U S 3 0 4	S U S 3 0 4	S U S 3 0 4
長さ	4	4	4	4	4	4	4	4
10	▼							
12	▼	▼						
15	▼	▼		▼				
16		▼	●	▼				
20	▼	▼	●	▼	●	▼		
25	▼	▼	●	▼	●	▼	●	
30	▼	▼	●	▼	●	▼	▼	●
35		▼	●	▼	●	▼	▼	▼
40		▼	●	▼	●	▼	▼	▼
45		▼	●	▼	●	▼	▼	▼
50		▼	●	▼	●	▼	▼	▼
55			●	▼	●	▼	●	
60				▼	●	▼	▼	▼
65				▼	●	▼	●	
70				▼	●	▼	▼	▼
75				▼	●	▼	●	
80				▼	●	▼	▼	▼
90				▼	●	▼	●	
100				▼	●	▼	▼	▼

SUS製の商品はSUS304相当品となっております。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
お気軽にご利用下さい。

<http://www.ikekin.co.jp/contents/inquiry/index.html>

電話でのお問い合わせ

土日祝日を除く月～金曜日
9:00～17:00

 0120-119-810