

六角穴付止めねじ

●=即日出荷 ▼=一両日出荷

呼び径	M2		M2.5		M2.6	M3				M4					
ポイント	くぼみ先	平先	くぼみ先	平先	くぼみ先	くぼみ先	棒先	平先	とがり先	くぼみ先	棒先	平先	とがり先		
材質・表面処理等	SUS製	SUS製	SUS製	SUS製	SUS製	鋼製	SUS製	鋼製	鋼製	SUS製	鋼製	SUS製	鋼製	SUS製	鋼製
長さ	SUS304	SUS304	SUS304	SUS304	SUS304	生地	SUS304	生地	生地	SUS304	生地	SUS304	生地	SUS304	生地
2	●		●		●										
2.5	●		●		●										
3	●	●	●	●	●	●	●	●	●	●	●		▼		
4	●	●	●	●	●	●	●	●	●	●	●		●	●	●
5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
8	●	●	●		●	●	●	●	●	●	●	●	●	●	●
10	●		●		●	●	●	●	●	●	●	●	●	●	●
12						●	●		●	●	●	●	●	●	●
14						●	●		●	●	●	●	●	●	●
15						●	●	●		●	●	●	●	●	●
16						●	●		●	●		●	●	●	●
18						●	●		●	●		●	●	●	●
20						●	●		●	●		●	●	●	●
22						●	●		▼	●	●				
25						●	●			●	●			●	
30						●	●			●	●			▼	
35										●	●			▼	
40										●	●				
45										▼	●				
50										▼	●				

SUS製の商品はSUS304相当品となっております。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
お気軽にご利用下さい。

<http://www.ikekin.co.jp/contents/inquiry/index.html>

電話でのお問い合わせ

土日祝日を除く月～金曜日
9:00～17:00

 0120-119-810

●=即日出荷 ▼=一両日出荷

呼び径	M5				M6				M8				M10						
	くぼみ先		棒先		平先		とがり先		くぼみ先		棒先		平先		とがり先				
ポイント	鋼製	SUS製	鋼製	鋼製	SUS製	鋼製	鋼製	SUS製	鋼製	鋼製	SUS製	鋼製	鋼製	SUS製	鋼製	鋼製	SUS製	鋼製	
材質・表面処理等	生	SUS304	生	生	SUS304	生	生	SUS304	生	生	SUS304	生	生	SUS304	生	生	SUS304	生	生
長さ	地	地	地	地	地	地	地	地	地	地	地	地	地	地	地	地	地	地	地
4	●	●			▼														
5	●	●	●	●	●	●	●	●		▼									
6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	▼				
8	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			▼
10	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
12	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
14	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
15	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
16	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
18	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
22	●	●				●	●	●	●		●	●	●		●	●	●	●	●
25	●	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
30	●	●			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
35	●	●			▼	●	●	●	●	▼	●	●	●	▼	●	●	●	●	▼
40	●	●			▼	●	●	●	●	▼	●	●	●	▼	●	●	●	●	▼
45	●	●			▼	●	●	●	●	▼	●	●	●	▼	●	●	●	●	▼
50	●	●			▼	●	●	●	●	▼	●	●	●	▼	●	●	●	●	▼
55						▼					▼				●			▼	
60					▼	▼					▼				●			▼	
65						▼				▼				▼	●				
70						▼				▼				▼	●			▼	
75										▼				▼	▼				
80										▼				▼	▼				
90														▼					
100														▼				▼	

SUS製の商品はSUS304相当品となっております。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
お気軽にご利用下さい。

<http://www.ikekin.co.jp/contents/inquiry/index.html>

電話でのお問い合わせ

土日祝日を除く月～金曜日
9:00～17:00

 0120-119-810

六角穴付止めねじ

●=即日出荷 ▼=一両日出荷

呼び径	M12				M14		M16			M18	M20		M22	M24	M30	
ポイント	くぼみ先		棒先	平先	とがり先	くぼみ先	平先	くぼみ先	平先	平先	くぼみ先	平先	平先	平先	平先	
	鋼製	SUS製	鋼製	鋼製	鋼製	鋼製	SUS製	鋼製	SUS製	鋼製	SUS製	鋼製	SUS製	SUS製	SUS製	
材質・表面処理等	生	SUS304	生	生	SUS304	生	生	SUS304	生	SUS304	生	生	SUS304	SUS304	SUS304	SUS304
長さ	地	04	地	地	04	地	地	04	地	04	地	地	04	04	04	04
10	●	●		●												
12	●	●	●	●	▼	●										
14	●	●	●	●		●										
15	●	●	●	●	▼	●	●	●	●							
16	●	●	●	●		●	●	●	●							
18	●	●	●	●	▼	●	▼	▼								
20	●	●	●	●	▼	●	●	▼	●	●	●	▼	●	●	▼	
22	●	●	●	●		●	▼	▼				●	●	▼	▼	
25	●	●	●	●	▼	●	●	▼	●	●	●	▼	▼	▼	▼	
30	●	●	●	●	▼	●	●	▼	●	●	●	▼	▼	▼	▼	▼
35	●	●	●	●	▼	●	●	▼	●	●	●	▼	▼	▼	▼	
40	●	●	●	●	▼	●	●	▼	●	●	●	▼	▼	▼	▼	▼
45	●	●	●	●	▼	●	●	▼	●	●	●	▼	▼	▼	▼	
50	●	●	●	●	▼	●	●	▼	●	●	●	▼	▼	▼	▼	▼
55	●					●		●			▼	●	▼	▼	▼	
60	●				▼	●		●			▼	▼	●	▼		▼
65	●					●		●			▼	●	▼	▼	▼	
70	●				▼	●	▼	●			▼	▼	●	▼	▼	
75	▼					▼		●			▼	▼	●	▼	▼	
80	▼						▼				▼	▼	▼			▼
90											▼		▼			
95												▼				
100					▼						▼		▼	▼	▼	▼
110													▼	▼	▼	
120													▼	▼	▼	
130													▼	▼	▼	
140													▼	▼	▼	
150													▼	▼	▼	

SUS製の商品はSUS304相当品となっております。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
ご気軽にご利用下さい。

<http://www.ikekin.co.jp/contents/inquiry/index.html>

電話でのお問い合わせ

土日祝日を除く月～金曜日
9:00～17:00

 0120-119-810

六角穴付止めねじ

●=即日出荷 ▼=一両日出荷

呼び径	W1/4	W5/16	W3/8	W1/2	W5/8
ポイント	くぼみ先	くぼみ先	くぼみ先	くぼみ先	くぼみ先
材質・ 表面 処理等	SUS製	SUS製	SUS製	SUS製	SUS製
	S	S	S	S	S
U	U	U	U	U	
S	S	S	S	S	
3	3	3	3	3	
0	0	0	0	0	
長さ	4	4	4	4	4
6	▼				
8	▼	▼			
10	▼	▼	▼		
12	▼	▼		▼	▼
15	▼			▼	▼
20	▼			▼	▼
25				▼	▼
30				▼	▼
40				▼	▼

SUS製の商品はSUS304相当品となっております。

六角穴付き止めねじ 細目

●=即日出荷 ▼=一両日出荷

呼び径	M4	M5	M6	M8	M10
ピッチ	0.50	0.50	0.75	1.00	1.25
ポイント	くぼみ先	くぼみ先	くぼみ先	くぼみ先	くぼみ先
材質・ 表面 処理等	SUS製	SUS製	SUS製	SUS製	SUS製
	S	S	S	S	S
U	U	U	U	U	
S	S	S	S	S	
3	3	3	3	3	
0	0	0	0	0	
長さ	4	4	4	4	4
4	▼				
5	▼	▼			
6	▼	▼	▼		
8	▼	▼	▼	▼	
10	▼	▼	▼	▼	
12		▼	▼	▼	▼
15		▼	▼	▼	▼
20			▼	▼	▼
25				▼	▼
30					▼

SUS製の商品はSUS304相当品となっております。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
ご気軽にご利用下さい。

<http://www.ikekin.co.jp/contents/inquiry/index.html>

電話でのお問い合わせ

土日祝日を除く月～金曜日
9:00～17:00

 0120-119-810