

平行ピン

●=即日出荷 ▼=一両日出荷

呼び径	1			1.2			1.5			1.6			2		
	A種	B種	A型	A種	B種	A型	A種	B種	A型	A種	B種	A型	A種	B種	A型
材質・表面処理等	S45C	ステンレス	S45C	S45C	ステンレス	S45C	S45C	ステンレス	S45C	S45C	ステンレス	S45C	S45C	ステンレス	S45C
長さ	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
4	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
5	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
6	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
8	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
10	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
12	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
14	▼						▼	▼			▼	▼	▼	▼	▼
15	▼		▼			▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
16							▼	▼	▼		▼	▼	▼	▼	▼
18									▼		▼	▼	▼	▼	▼
20			▼	▼		▼	▼		▼	▼	▼	▼	▼	▼	▼
22												▼			▼
24												▼	▼		
25												▼	▼	▼	▼
26												▼			
28												▼			
30												▼	▼	▼	▼
35															▼
40															▼
45															▼
50															▼

A型は旧JIS規格です。サイズ表にない材質・サイズはオーダーメイドにて対応致します。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
お気軽にご利用下さい。

電話でのお問い合わせ
土日祝日を除く月～金曜日
9:00～17:00

<http://www.ikekin.co.jp/contents/inquiry/index.html> **0120-119-810**

●=即日出荷 ▼=一両日出荷

呼び径	2.5						3						4										
	A種		B種		A型		A種		B種		A型		A種		B種		A型						
材質・表面処理等	S45C	ステンレス	S45C	ステンレス	S45C	S45C	ステンレス	S45C	S45C	焼入れ	S45C	ステンレス	S45C	S45C	焼入れ	S45C	ステンレス	S45C	S45C	S45C	S45C	焼入れ	
長さ			m6	h7							m6	h7	m6	h7					m6	h7	m6	h7	
4										▼													
5	▼	▼	▼	▼	▼	●	●		●	●		▼	▼		●		▼		▼				
6	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●		▼	▼	▼
8	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼
10	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼
12	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼
14	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●		▼	▼	▼
15	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼
16	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●		▼	▼	▼
18	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼
20	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼
22	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	▼	▼	▼	▼	▼	▼	▼
24		▼		▼		▼		▼		▼				▼	▼		▼	▼		▼			
25	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼
26						▼	●		▼		▼			▼			▼	▼		▼			
28				▼		▼	●	▼	●	●		▼	▼	▼	▼	●	▼	▼	▼		▼	▼	▼
30	▼	▼	▼		▼	▼	●	●	▼	●	●	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼
32						▼	▼		▼					▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
35				▼		▼	▼	▼	▼			▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼
38																▼						▼	
40				▼		▼	▼	▼	▼			▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼
45						▼		▼				▼		▼	●	▼	▼	▼			▼	▼	▼
50						▼	▼	▼	▼			▼	▼	▼	●	▼	▼	▼			▼	▼	▼
55						▼						▼			▼							▼	
60						▼						▼			▼	▼	▼					▼	
65												▼			▼							▼	
70												▼			▼							▼	
75												▼										▼	
80												▼										▼	
90												▼										▼	
100												▼										▼	

A型は旧JIS規格です。サイズ表にない材質・サイズはオーダーメイドにて対応致します。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
お気軽にご利用下さい。

電話でのお問い合わせ
土日祝日を除く月～金曜日
9:00～17:00

<http://www.ikekin.co.jp/contents/inquiry/index.html> **0120-119-810**

●=即日出荷 ▼=一両日出荷

呼び径	5										6												
	A種			B種			A型				A種			B種			A型						
材質・表面処理等	S45C	ステンレス	S45C焼入れ	S45C	ステンレス	S45C焼入れ	S45C	S45C	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C	ステンレス	S45C	S45C	S45C	S45C	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C
長さ						m6		h7		m6		h7				m6	h7			m6	h7		
6	●	●			▼																		
8	●	●	▼	●	●			▼					●	●	▼	●	●			▼		▼	
10	●	●	▼	●	●	▼	▼	▼	▼	▼			●	●	▼	●	●	▼	▼	▼	▼	▼	▼
12	●	●	▼	●	●	▼	▼	▼	▼	▼			●	●	▼	●	●	▼	▼	▼	▼	▼	▼
14	●	●	▼	●	●	▼	▼	▼	▼	▼			●	●	▼	●	●	▼	▼	▼	▼	▼	▼
15	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼	▼	▼
16	●	●	▼	●	●	▼	▼	▼	▼	▼			●	●	▼	●	●	▼	▼	▼	▼	▼	▼
18	●	●	▼	●	●	▼	▼	▼	▼	▼			●	●	▼	●	●	▼	▼	▼	▼	▼	▼
20	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼	▼	▼
22	▼	●	▼	▼	▼		▼	▼	▼	▼			▼	●	▼	▼	▼	▼	▼	▼	▼	▼	
24	▼	▼		▼			▼						▼			▼		▼	▼				
25	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼	▼	▼
26	▼	▼		▼			▼						▼					▼	▼				
28	▼	●	▼	▼	▼		▼	▼	▼	▼			●	●	▼	●	●	▼	▼	▼	▼	▼	▼
30	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼	▼	▼
32	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	▼	▼	▼	▼	▼	▼
35	●	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼	▼	▼
36	▼	▼		▼			▼						▼					▼	▼				
40	●	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●		▼	▼	▼	▼	▼
45	●	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼	▼	▼	▼	▼	▼
50	●	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●		▼	▼	▼	▼	▼
55	▼	▼	▼	▼			▼	▼	▼	▼	▼	▼	▼	●	▼	▼	▼		▼	▼	▼	▼	▼
60	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼
65	▼						▼						▼	▼	▼	▼	▼		▼	▼	▼	▼	
70	▼						▼						▼	▼	▼	▼	▼		▼	▼	▼	▼	▼
75	▼						▼						▼	▼	▼	▼	▼		▼	▼	▼	▼	▼
80	▼	▼					▼						▼	▼	▼	▼	▼		▼	▼	▼	▼	▼
90							▼												▼				
100	▼	▼					▼						▼	▼	▼	▼	▼		▼	▼			

A型は旧JIS規格です。サイズ表にない材質・サイズはオーダーメイドにて対応致します。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
お気軽にご利用下さい。

電話でのお問い合わせ
土日祝日を除く月～金曜日
9:00～17:00

<http://www.ikekin.co.jp/contents/inquiry/index.html> **0120-119-810**

●=即日出荷 ▼=一両日出荷

呼び径	8										10														
	A種			B種			A型				A種			B種			A型								
材質・表面処理等	S45C	ステンレス	S45C焼入れ	S45C	ステンレス	S45C焼入れ	S45C	S45C	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C	ステンレス	S45C焼入れ	S45C	ステンレス	S45C焼入れ	S45C	S45C	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C
長さ							m6	h7														m6	h7		
10	●	●	▼		▼		▼	▼	▼																
12	●	●	▼	●	●		▼	▼	▼				●				▼				▼				
14	●	●	▼	●	●	▼	▼	▼	▼				●				▼				▼				
15	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●			▼		▼			
16	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●			▼	▼	▼			
18	▼	●	▼	▼	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●			▼	▼	▼	▼	▼	▼
20	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼		▼	▼	▼	▼	▼	▼
22	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	▼	▼	●	▼		▼	▼	▼	▼	▼	▼
24	▼						▼						▼							▼					
25	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼		▼	▼	▼	▼	▼	▼
26	▼						▼						▼							▼					
28	▼	●	▼	▼	●		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼		▼	▼	▼	▼	▼	▼
30	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼		▼	▼	▼	▼	▼	▼
32	▼	▼	▼	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	▼		▼	▼	▼	▼	▼	▼
35	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼		▼	▼	▼	▼	▼	▼
36	▼						▼													▼					
40	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼		▼	▼	▼	▼	▼	▼
45	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼		▼	▼	▼	▼	▼	▼
50	●	●	▼	●	●	▼	▼	▼	▼	▼	▼	▼	●	●	▼	●	●	▼		▼	▼	▼	▼	▼	▼
55	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼
60	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼
65	●	▼	▼	▼			▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼
70	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼
75	●	▼	▼	▼			▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼
80	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼
90	●		▼	▼			▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼
100	●	▼	▼	▼			▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼
110	●												▼							▼					
120	●		▼										▼	▼	▼					▼					▼
130													▼							▼					
140													▼							▼					
150													▼							▼					

A型は旧JIS規格です。サイズ表にない材質・サイズはオーダーメイドにて対応致します。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
ご気軽にご利用下さい。

電話でのお問い合わせ
土日祝日を除く月～金曜日
9:00～17:00

<http://www.ikekin.co.jp/contents/inquiry/index.html>
0120-119-810

●=即日出荷 ▼=一両日出荷

呼び径	12												13												
	A種			B種			A型						A種			B種			A型						
材質・表面処理等	S45C	ステンレス	S45C焼入れ	S45C	ステンレス	S45C焼入れ	S45C	S45C	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C	ステンレス	S45C焼入れ	S45C	ステンレス	S45C焼入れ	S45C	S45C	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C
長さ							m6	h7														m6	h7		
20	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
22			▼	▼				▼						▼			▼				▼				
25	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
28	▼			▼				▼				▼				▼		▼						▼	▼
30	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
32	▼	●	▼	▼					▼	▼			▼	▼	▼			▼				▼	▼	▼	▼
35	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
40	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
45	▼	●	▼	▼				▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
50	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
55	▼	▼	▼	▼				▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
60	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
65	▼	▼	▼	▼				▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
70	▼	▼	▼	▼		▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
75	▼	▼	▼	▼				▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
80	▼	▼	▼	▼		▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
90	▼	▼	▼	▼		▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
100	▼	▼	▼	▼		▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
110	▼											▼		▼							▼			▼	▼
120	▼	▼	▼						▼	▼			▼	▼	▼					▼		▼	▼	▼	▼
130	▼												▼							▼					
140	▼												▼							▼					
150	▼												▼	▼						▼					
160													▼												

A型は旧JIS規格です。サイズ表にない材質・サイズはオーダーメイドにて対応致します。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
ご気軽にご利用下さい。

電話でのお問い合わせ
土日祝日を除く月～金曜日
9:00～17:00

<http://www.ikekin.co.jp/contents/inquiry/index.html> **0120-119-810**

●=即日出荷 ▼=一両日出荷

呼び径	16											20																
	A種			B種			A型					A種			B種			A型										
材質・表面処理等	S45C	ステンレス	S45C焼入れ	S45C	ステンレス	S45C焼入れ	S45C	S45C	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C	ステンレス	S45C焼入れ	S45C	S45C	S45C	S45C	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	S45C	内ねじ付焼入れ	
長さ							m6	h7								S45C												
20	▼			▼																								
25	▼		▼	▼			▼	▼	▼																			
28	▼			▼																								
30	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼													
32	▼	▼																										
35	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼													
40	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
45	▼	▼	▼	▼			▼	▼	▼	▼	▼	▼	▼	▼	▼													
50	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
55	▼	▼	▼	▼			▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
60	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
65	▼	▼	▼	▼			▼		▼	▼		▼	▼		▼	▼		▼		▼		▼	▼		▼	▼		
70	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
75	▼		▼	▼			▼		▼	▼	▼	▼	▼	▼	▼													
80	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
90	▼	▼	▼	▼		▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
100	▼	▼	▼	▼		▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
110	▼						▼			▼		▼			▼							▼			▼			
120	▼	▼	▼	▼			▼		▼	▼		▼	▼	▼	▼							▼		▼				
130	▼						▼					▼			▼							▼						
140	▼						▼					▼		▼	▼							▼		▼				
150	▼		▼				▼					▼		▼								▼						
160	▼											▼																
180	▼											▼																
200	▼											▼																

A型は旧JIS規格です。サイズ表にない材質・サイズはオーダーメイドにて対応致します。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
ご気軽にご利用下さい。

電話でのお問い合わせ
土日祝日を除く月～金曜日
9:00～17:00

<http://www.ikekin.co.jp/contents/inquiry/index.html> **0120-119-810**

●=即日出荷 ▼=一両日出荷

呼び径	25			30		
	A種	B種	A型	A種	B種	A型
材質 ・ 表面 処理等	S 4 5 C	S 4 5 C 焼 入 れ	S 4 5 C m 6	S 4 5 C	S 4 5 C 焼 入 れ	S 4 5 C m 6 焼 入 れ
長さ			h 7			h 7
35	▼					
40	▼		▼	▼		
45	▼			▼		
50	▼	▼	▼	▼	▼	▼
55	▼			▼		
60	▼	▼	▼	▼	▼	▼
65	▼	▼		▼		
70	▼	▼	▼	▼	▼	▼
75	▼	▼		▼		
80	▼	▼	▼	▼	▼	▼
90	▼	▼	▼	▼		▼
100	▼	▼	▼	▼	▼	▼
110	▼					
120	▼	▼		▼	▼	
140	▼			▼		
150	▼	▼		▼	▼	
160	▼			▼		
180	▼			▼		
200	▼			▼		

A型は旧JIS規格です。サイズ表にない材質・サイズはオーダーメイドにて対応致します。

イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。
お気軽にご利用下さい。

<http://www.ikekin.co.jp/contents/inquiry/index.html>

電話でのお問い合わせ

土日祝日を除く月～金曜日
9:00～17:00

 **0120-119-810**