

# テーパピン

●=即日出荷 ▼=一両日出荷

呼び径	1		1.2		1.5		1.6	
材質・表面処理等	S45C	ステンレス	S45C	ステンレス	S45C	ステンレス	S45C	ステンレス
長さ		ス		ス		ス		ス
10	▼	▼	▼	▼	▼	▼	▼	▼
12	▼	▼	▼	▼	▼	▼	▼	▼
15	▼	▼	▼	▼	▼	▼	▼	▼
20	▼	▼	▼	▼	▼	▼	▼	▼

●=即日出荷 ▼=一両日出荷

呼び径	2		2.5		3		4				5																								
材質・表面処理等	SUM23L	S45C	ステンレス	SUM23L	S45C	ステンレス	SUM23L	S45C	S45C焼入れ	ステンレス	S45C焼入れ	ステンレス	外ねじ付	外ねじ焼入れ	外ねじ焼入れ	S45C焼入れ	SUM23L	S45C	S45C焼入れ	ステンレス	外ねじ付	外ねじ焼入れ	外ねじ焼入れ	S45C焼入れ	内ねじ付	内ねじ焼入れ	外ねじ付	外ねじ焼入れ	内ス	外ス	内ス	内ス			
長さ			ス			ス			ス		ス								ス																
6	▼	▼	▼	●	▼	▼	●	▼																											
8	●	▼	▼	●	▼	▼	●	▼																											
10	●	▼	▼	●	▼	▼	●	▼					▼																						
12	●	▼	▼	●	▼	▼	●	▼																											
14	●	▼	▼	●	▼	▼	●	▼	▼																										
15	●	▼	▼	●	▼	▼	●	▼	▼	▼															▼	▼									
16	●	▼	▼	●	▼	▼	●	▼	▼	▼																									
18	●	▼	▼	●	▼	▼	●	▼	▼	▼																									
20	●	▼	▼	●	▼	▼	●	▼	▼	▼															▼	▼	●	▼					▼		
22	●	▼	▼	●	▼	▼	●	▼	▼	▼																									
24	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼																									
25	●	▼	▼	●	▼	▼	●	▼	▼	▼															▼	▼	●	▼					▼		
26	●	▼	▼	▼	▼	▼	▼	▼	▼	▼																									
28	●	▼	▼	●	▼	▼	●	▼	▼	▼																									
30	●	▼	▼	●	▼	▼	●	▼	▼	▼															▼	▼	●	▼					▼		
32	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼																									
35	●	▼	▼	●	▼	▼	●	▼	▼	▼																▼	▼	●	▼				▼		
36	▼			▼			▼																												
38	▼			▼			▼																												
40	●		▼	●	▼	▼	●	▼	▼	▼																								▼	
45	▼			▼			●	▼	▼	▼															▼	▼	●	▼					▼		
50	▼		▼	▼			●	▼	▼	▼															▼	▼	●	▼					▼		
55							●	▼																											
60							●	▼	▼	▼																									
65							▼																												
70							▼																												
75							▼																												
80																																			
85																																			
90																																			
100																																			
ねじ径														M4	M4											M5	M5					M5			
ねじ長さ														15	13											15	13					15			

長さはテーパ部長さです

●=即日出荷 ▼=一両日出荷

呼び径	6						7				8									
	材質・表面処理等	長さ	S45C焼入れ	ステンレス	外ねじ付	内ねじ付	外ねじ付	内ねじ付	外ねじ付	内ねじ付	ステンレス	長さ	S45C焼入れ	ステンレス	外ねじ付	内ねじ付	外ねじ付	内ねじ付	外ねじ付	内ねじ付
10	●				▼															
12	●																			
15	●	▼		▼	▼	▼											▼			
16	●	▼		▼																
18	●	▼		▼																
20	●	▼	▼	▼	▼	▼	▼		▼		▼		●	▼	▼	▼	▼		▼	▼
22	▼	▼	▼	▼								●	▼	▼	▼					
24	▼	▼	▼	▼								▼	▼	▼	▼					
25	●	▼	▼	▼	▼	▼	▼	●	▼		▼	▼	●	▼	▼	▼	●	●		▼
26	▼	▼	▼	▼								▼	▼	▼						
28	▼	▼	▼	▼								●	▼	▼	▼					
30	●	▼	▼	▼	▼	▼	▼	●	▼		▼	▼	●	▼	▼	▼	▼	●	●	▼
32	▼	▼	▼	▼		▼				▼		●	▼	▼	▼	▼				
35	●	▼	▼	▼	▼	▼	▼	●	●		▼	▼	▼	▼	▼	▼	▼	●	●	▼
36	▼	▼		▼								▼	▼		▼					
38		▼																		
40	●	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
45	●	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
50	●	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
55	●	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
60	●	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
63		▼		▼																
65	●	▼	▼	▼	▼	▼	▼			▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
70	●	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
75	●	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
80	●	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼
85					▼											▼				
90	●	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼	●	▼	
95					▼											▼				
100	●	▼	▼	▼	▼	▼	▼		▼	▼	▼	▼	▼	▼	▼	▼	▼		▼	
105																				
110	▼	▼		▼								▼	▼	▼	▼	▼	▼		▼	
120	▼	▼		▼						▼		▼	▼	▼	▼	▼			▼	
130	▼											▼	▼	▼	▼					
140												▼	▼	▼	▼					
150										▼		▼	▼	▼	▼					
ねじ径					M6	M6	M6										M8	M8	M8	
ねじ長さ					20	13	20										20	15	20	

長さはテーパ部長さです

## イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。  
お気軽にご利用下さい。

電話でのお問い合わせ  
土日祝日を除く月～金曜日  
9:00～17:00

<http://www.ikekin.co.jp/contents/inquiry/index.html>
**0120-119-810**

●=即日出荷 ▼=一両日出荷

呼び径	10										12											
	材質・ 表面 処理等	SUM23L	S45C	S45C焼入れ	ステンレス	外ねじ付	内ねじ付	外ねじ付	内ねじ付	外ねじ付	内ねじ付	SUM23L	S45C	S45C焼入れ	ステンレス	外ねじ付	内ねじ付	外ねじ付	内ねじ付	外ねじ付	内ねじ付	
20	●																					
22	●																					
24			▼																			
25	●	▼	▼	▼	▼	▼	▼		●		▼	●				▼						
26	▼	▼	▼	▼																		
28	●	▼	▼	▼																		
30	●	▼	▼	▼	▼	▼	▼		●		▼	●	▼		▼	▼	▼					
32	▼	▼	▼	▼		▼	▼				▼	▼	▼	▼	▼	▼	▼					
35	●	▼	▼	▼	▼	▼	▼	●	●		▼	●	▼	▼	▼	▼	▼					
36	▼	▼		▼							▼	▼		▼								
40	●	▼	▼	▼	▼	▼	▼	●	●		▼	●	▼	▼	▼	▼	▼	▼				▼
45	●	▼	▼	▼	▼	▼	▼	●	●		▼	●	▼	▼	▼	▼	▼	▼				
50	●	▼	▼	▼	▼	▼	▼	●	●		▼	●	▼	▼	▼	▼	▼	▼				▼
55	●	▼	▼	▼	▼	▼	▼	●	●			●	▼	▼	▼	▼	▼	▼				
60	●	▼	▼	▼	▼	▼	▼	●	●	▼	▼	●	▼	▼	▼	▼	▼	▼				▼
65	●	▼	▼	▼	▼	▼	▼	●	●	▼		●	▼	▼	▼	▼	▼	▼				
70	●	▼	▼	▼	▼	▼	▼	●	●	▼		●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
75	●	▼	▼	▼	▼	▼	▼	●	●	▼		●	▼	▼	▼	▼	▼	▼				
80	●	▼	▼	▼	▼	▼	▼	●	●	▼		●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
85					▼					▼					▼							
90	●	▼	▼	▼	▼	▼	▼	●	▼	▼		●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
95					▼										▼							
100	●	▼	▼	▼	▼	▼	▼	▼	▼	▼		●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
105					▼																	
110	▼	▼	▼	▼		▼		▼				▼	▼		▼	▼	▼	▼				
115					▼																	
120	▼	▼	▼	▼		▼		▼				▼	▼	▼	▼	▼	▼	▼				
125					▼																	
130	▼	▼	▼	▼		▼		▼				▼	▼		▼		▼	▼				
140	▼	▼	▼	▼		▼		▼				▼	▼	▼	▼		▼	▼				
150	▼	▼	▼									▼	▼	▼	▼				▼			
160	▼	▼		▼								▼	▼		▼							
180	▼											▼	▼		▼							
200																						
ねじ径					M10	M10	M10								M12			M12				
ねじ長さ					25	18	25								30			30				

長さはテーパ部長さです

## イケキンカスタマーセンター

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。  
お気軽にご利用下さい。

<http://www.ikekin.co.jp/contents/inquiry/index.html>
**0120-119-810**

電話でのお問い合わせ

土日祝日を除く月～金曜日  
9:00～17:00

●=即日出荷 ▼=一両日出荷

呼び径	13									16									20			25			30			
	SUM23L	S45C	S45C焼入れ	ステンレス	外ねじ付	内ねじ付	外ねじ付	内ねじ付	外ねじ付	内ねじ付	SUM23L	S45C	S45C焼入れ	ステンレス	外ねじ付	内ねじ付	外ねじ付	内ねじ付	SUM23L	S45C	S45C焼入れ	ステンレス	内ねじ付	S45C	S45C焼入れ	S45C	S45C焼入れ	
15																												
20					▼																							
25					▼																							
30					▼	▼																						
32	▼	▼	▼	▼		▼																						
35	▼	▼	▼	▼	▼	▼																						
36	▼	▼		▼																								
40	●	▼	▼	▼	▼	▼	●	●		▼	▼	▼	▼	▼	▼	▼	▼	●	●									
45	●	▼	▼	▼	▼	▼	●	●		▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼					
50	●	▼	▼	▼	▼	▼	●	●		▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	●	▼	▼		
55	●	▼	▼	▼	▼	▼	●	●		▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	●	▼	▼	▼	
60	●	▼	▼	▼	▼	▼	●	●		▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	●	▼	▼	▼	▼
65	●	▼	▼	▼	▼	▼	●	●		▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	●	▼	▼	▼	▼
70	●	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	●	▼	▼	▼	▼
75	●	▼	▼	▼	▼	▼	●	●		▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	●	▼	▼	▼	▼
80	●	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	●	▼	▼	▼	▼
85					▼																							
90	●	▼	▼	▼	▼	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	▼	▼	▼	▼	▼
95					▼																							
100	●	▼	▼	▼	▼	▼	●	▼	▼	▼	▼	▼	▼	▼	▼	▼	▼	●	●	▼	▼	▼	▼	●	▼	▼	▼	▼
105																												
110	▼	▼	▼	▼	▼			▼		▼	▼	▼	▼	▼					▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
115																												
120	▼	▼	▼	▼	▼			▼		▼	▼	▼	▼	▼					▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
125																												
130	▼	▼	▼	▼				▼		▼	▼	▼	▼	▼					▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
140	▼	▼	▼	▼				▼		▼	▼	▼	▼	▼					▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
150	▼	▼	▼	▼				▼		▼	▼	▼	▼	▼					▼	▼	▼	▼	▼	▼	▼	▼	▼	▼
160	▼	▼		▼				▼		▼	▼		▼						▼	▼	▼	▼		▼		▼		▼
170										▼										▼								
180	▼	▼		▼						▼	▼		▼						▼	▼		▼	▼	▼		▼		▼
190										▼										▼								
200	▼	▼		▼						▼	▼		▼						▼	▼		▼	▼	▼		▼		▼
ねじ径					M12	M12	M12								M16	M12												
ねじ長さ					30	21	30								35	25												

長さはテーパ部長さです

**イケキンカスタマーセンター**

お問い合わせフォーマット

お客様のご意見・ご質問・ご要望などをお受けしています。  
ご気軽にご利用下さい。

電話でのお問い合わせ  
土日祝日を除く月～金曜日  
9:00～17:00

<http://www.ikekin.co.jp/contents/inquiry/index.html> **0120-119-810**