

SUS304(UNC)

材 質：SUS304
 サ イ ズ：#2-1"
 特 色：標準品

材 料 規 格：AS7245
 対 応 温 度 帯：～425℃
 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
03522	#2-56	1D	3.000	2.79-3.02	2.3
03523		1.5D	5.250		
03524		2D	7.375		
03532	#3-48	1D	2.875	3.25-3.53	2.7
03533		1.5D	5.000		
03534		2D	7.250		
03542	#4-40	1D	2.750	3.65-4.04	3.0
03543		1.5D	4.750		
03544		2D	6.750		
03552	#5-40	1D	3.250	4.01-4.39	3.4
03553		1.5D	5.500		
03554		2D	7.750		
03562	#6-32	1D	2.750	4.52-4.90	3.8
03563		1.5D	4.750		
03564		2D	6.875		
03582	#8-32	1D	3.500	5.20-5.85	4.4
03583		1.5D	6.000		
03584		2D	8.375		
03602	#10-24	1D	2.875	6.19-6.57	5.1
03603		1.5D	5.000		
03604		2D	7.125		
03622	#12-24	1D	3.500	7.87-8.38	5.8
03623		1.5D	6.000		
03624		2D	8.375		
03042	1/4-20	1D	3.375	7.87-8.38	6.7
03043		1.5D	5.750		
03044		2D	8.000		
03052	5/16-18	1D	4.000	9.65-10.16	8.3
03053		1.5D	6.625		
03054		2D	9.250		
03062	3/8-16	1D	4.375	11.48-11.98	9.9
03063		1.5D	7.250		
03064		2D	10.000		
03072	7/16-14	1D	4.500	13.36-13.99	11.5
03073		1.5D	7.375		
03074		2D	10.250		
03082	1/2-13	1D	4.875	15.16-15.79	13.0
03083		1.5D	7.875		
03084		2D	11.000		
03102	5/8-11	1D	5.250	18.84-19.48	16.5
03103		1.5D	8.500		
03104		2D	11.750		
03122	3/4-10	1D	5.875	22.37-23.01	23.0
03123		1.5D	9.375		
03124		2D	13.000		
03142	7/8-9	1D	6.250	25.95-26.72	26.0
03143		1.5D	10.000		
03144		2D	13.750		

SUS304(UNF)

材 質：SUS304
 サ イ ズ：#3-1"
 特 色：標準品

材 料 規 格：AS7245
 対 応 温 度 帯：～425℃
 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
04532	#3-56	1D	3.600	3.15-3.25	2.7
04533		1.5D	6.050		
04534		2D	8.650		
04542	#4-48	1D	3.550	3.57-3.67	3.0
04543		1.5D	5.950		
04544		2D	8.250		
04562	#6-40	1D	3.550	4.38-4.50	3.8
04563		1.5D	6.150		
04564		2D	8.650		
04582	#8-36	1D	3.850	5.14-5.28	4.4
04583		1.5D	6.850		
04584		2D	9.350		
04602	#10-32	1D	4.250	5.85-6.00	5.1
04603		1.5D	7.050		
04604		2D	9.950		
04622	#12-28	1D	4.250	6.73-7.18	5.8
04623		1.5D	7.300		
04624		2D	9.850		
04042	1/4-28	1D	5.000	7.60-7.80	6.6
04043		1.5D	8.450		
04044		2D	11.650		
04052	5/16-24	1D	5.550	9.45-9.65	8.2
04053		1.5D	9.050		
04054		2D	12.550		
04062	3/8-24	1D	7.050	11.00-11.20	9.8
04063		1.5D	11.250		
04064		2D	15.450		
04072	7/16-20	1D	6.850	12.96-13.2	11.5
04073		1.5D	11.050		
04074		2D	15.250		
04082	1/2-20	1D	8.050	14.60-14.90	13.0
04083		1.5D	12.750		
04084		2D	17.450		
04102	5/8-18	1D	9.250	18.00-18.30	16.3
04103		1.5D	14.550		
04104		2D	20.050		
04122	3/4-16	1D	9.950	21.20-21.60	19.5
04123		1.5D	15.550		
04124		2D	21.350		
04142	7/8-14	1D	10.150	24.97-25.33	22.5
04143		1.5D	16.150		
04144		2D	22.050		
04162	1"-12	1D	9.950	28.47-28.83	26.0
04163		1.5D	15.350		
04164		2D	21.350		