

SUS304

材 質：SUS304
サ イ ズ：M2－M16
特 色：標準品

材 料 規 格：A57245
対 応 温 度 帯：～425℃
※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
TL05022	M2-0.40	1D	3.250	2.50-2.70	2.1
TL05023		1.5D	5.600		
TL05024		2D	7.750		
TL05252	M2.5-0.45	1D	3.375	3.20-3.70	2.6
TL05253		1.5D	5.750		
TL05254		2D	8.125		
TL05255		2.5D	10.500		
TL05256		3D	12.750		
TL05030-2.4	M3-0.50	0.8D	3.000	3.80-4.35	3.1
TL05032		1D	3.750		
TL05033		1.5D	6.375		
TL05034		2D	8.875		
TL05035		2.5D	11.375		
TL05036		3D	13.875		
TL05040-3.2	M4-0.70	0.8D	2.900	5.05-5.60	4.2
TL05042		1D	3.625		
TL05043		1.5D	6.125		
TL05044		2D	8.625		
TL05045		2.5D	11.125		
TL05046		3D	13.625		
TL05050-4	M5-0.80	0.8D	3.300	6.25-6.80	5.2
TL05052		1D	4.125		
TL05053		1.5D	6.875		
TL05054		2D	9.625		
TL05055		2.5D	12.375		
TL05056		3D	15.125		
TL05060-4.8	M6-1.00	0.8D	3.200	7.40-7.95	6.3
TL05062		1D	4.000		
TL05063		1.5D	6.750		
TL05064		2D	9.500		
TL05065		2.5D	12.125		
TL05066		3D	14.875		
TL05080-6.4	M8-1.25	0.8D	3.600	9.80-10.35	8.4
TL05082		1D	4.500		
TL05083		1.5D	7.375		
TL05084		2D	10.250		
TL05085		2.5D	13.250		
TL05086		3D	16.125		
TL05102	M10-1.50	1D	4.875	11.95-12.50	10.5
TL05103		1.5D	8.000		
TL05104		2D	11.125		
TL05105		2.5D	14.250		
TL05106		3D	17.375		
TL05122	M12-1.75	1D	5.000	14.30-15.00	12.5
TL05123		1.5D	8.250		
TL05124		2D	11.500		

SUS304

材 質：SUS304 材 料 規 格：AS7245
サ イ ズ：M2－M16 対 応 温 度 帯：～425℃
特 色：標準品 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
TL05142	M14-2.00	1D	5.125	16.65-17.35	14.5
TL05143		1.5D	8.550		
TL05144		2D	11.750		
TL05162	M16-2.00	1D	6.125	18.80-19.60	16.5
TL05163		1.5D	9.750		
TL05164		2D	13.500		

SUS304(UNC)

材 質：SUS304 材 料 規 格：AS7245
サ イ ズ：#2－3/8(UNC) 対 応 温 度 帯：～425℃
特 色：標準品 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
TL03522	#2-56	1D	3.000	2.79-3.02	2.3
TL03523		1.5D	5.250		
TL03524		2D	7.375		
TL03542	#4-40	1D	2.750	3.65-4.03	3.0
TL03543		1.5D	4.750		
TL03544		2D	6.750		
TL03562	#6-32	1D	2.750	4.52-4.90	3.8
TL03563		1.5D	4.750		
TL03564		2D	6.875		
TL03582	#8-32	1D	3.500	5.20-5.58	4.4
TL03583		1.5D	6.600		
TL03584		2D	8.375		
TL03602	#10-24	1D	2.875	6.19-6.57	5.1
TL03603		1.5D	5.000		
TL03604		2D	7.125		
TL03042	1/4-20	1D	3.375	7.87-8.38	6.7
TL03043		1.5D	5.750		
TL03044		2D	8.000		
TL03052	5/16-18	1D	5.000	9.65-10.16	8.3
TL03053		1.5D	8.250		
TL03054		2D	9.250		
TL03062	3/8-16	1D	4.375	11.48-11.98	9.9
TL03063		1.5D	7.250		
TL03064		2D	10.000		

SUS304(UNF)

材 質：SUS304 材 料 規 格：A57245
 サ イ ズ：#10－3/8(UNF) 対 応 温 度 帯：～425℃
 特 色：標準品 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
TL04602	#10-32	1D	4.125	6.50-5.74	5.1
TL04603		1.5D	6.875		
TL04604		2D	9.500		
TL04042	1/4-28	1D	5.000	7.77-8.28	6.6
TL04043		1.5D	8.250		
TL04044		2D	11.375		
TL04052	5/16-24	1D	5.500	7.62-10.16	8.2
TL04053		1.5D	8.875		
TL04054		2D	12.250		
TL04062	3/8-24	1D	6.875	11.37-11.88	9.8
TL04063		1.5D	11.000		
TL04064		2D	15.000		